

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
VD121	Filmivaneri	4	1500	3000	Koivu	F/F	II	Ru/Ru	46	K sis hylly	207	0.82	
6477	Filmivaneri	4	1525	3050	Koivu	F/F	II	Ha/Ha	21	K sis auki	97.67	0.39	
KSS16	Filmivaneri	6	1220	2440	Koivu	F/V	II	Ru/Ru	48	K sis auki	142.8	0.85	120/120
VSE3	Filmivaneri	6.5	1200	2400	Koivu	F/F	I	Ke/Ru	12	K sis hylly	34.56	0.22	167/120
7117	Filmivaneri	6.5	1200	2400	Koivu	F/F	I	Ha/Ru	75	K sis hylly	216	1.40	
7314	Filmivaneri	6.5	1200	2400	Koivu	F/F	I	Va/Ru	63	K sis hylly	181.4	1.17	
VD62	Filmivaneri	6.5	1500	3000	Koivu	F/F	II	Ru/Ru	61	K sis hylly	274.5	1.78	
F20-040484	Filmivaneri	6.5	1500	3000	Koivu	F/F	I	Ke/Ru	90	K sis takana	405	2.63	
7093	Filmivaneri	6.5	1500	3000	Koivu	F/F	I	Ke/Ru	4	K sis hylly	18	0.11	
8598	Filmivaneri	6.5	1500	3000	Koivu	F/F	I	Ru/Ru	20	K sis auki	90	0.58	
7278	Filmivaneri	6.5	1500	3000	Koivu	F/F	I	Va/Ru	27	K sis hylly	121.5	0.79	
7105	Filmivaneri	9	1200	1800	Koivu	CR/F	II	Ru/SP	6	K ulk etu	12.96	0.11	F/SP
6265	Filmivaneri	9	1200	2250	Koivu	V/Puu	II	Ruskea	24	K sis takana	64.8	0.58	
VSE53	Filmivaneri	9	1200	2400	Koivu	F/F	I	Va/Ru	41	K sis hylly	118.0	1.06	400/120
7671	Filmivaneri	9	1200	2400	Koivu	F/F	I	Ha/Ru	12	K sis hylly	34.56	0.31	167/120 g
JSA24	Filmivaneri	9	1200	2400	Koivu	F/F	I	Ke/Ru	44	K sis	126.7	1.14	167/120
7286	Filmivaneri	9	1200	2400	Koivu	F/F	I	Ke/Ru	65	K sis takana	187.2	1.68	
6965	Filmivaneri	9	1200	2750	Koivu	F/F	I	Va/Ru	10	K sis hylly	33	0.29	Valkoinen filmivaneri, melami
8022	Filmivaneri	9	1200	3000	Koivu	F/F	I	Ke/Ru	50	K sis takana	180	1.62	
VST50	Filmivaneri	9	1220	2440	Koivu	F/F	II	Ru/Ru	44	K sis takana	130.9	1.17	120/120
DV51	Filmivaneri	9	1220	2440	Koivu	F/V	II	Ru/Ru	45	K sis takana	133.9	1.20	F3/W3
DV56	Filmivaneri	9	1220	2440	Koivu	F/V	II	Ru/Ru	39	K sis auki	116.0	1.04	F3/W3

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
9FP122	Filmivaneri	9	1220	2440	Koivu	F/PUU	I	Ru/Puu	38	Kla TT	113.1	1.01	I/wg
2943	Filmivaneri	9	1220	2440	Koivu	V/Puu	II	Musta	21	K sis auki	62.51	0.56	BB ok / filmi salmiakki huono / (
2275	Filmivaneri	9	1220	2440	Koivu	F/PUU	II	Ru/Puu	38	Kla TT	113.1	1.01	F/WG 220g Salmiak?
10028B	Filmivaneri	9	1220	2440	Koivu	SP/SP	II	Ru/Puu	100	Kla TT	297.6	2.67	Paintply Birch II. SP -
10028	Filmivaneri	9	1220	2440	Koivu	SP/SP	II	Ru/Puu	20	Kla TT	59.53	0.53	Paintply Birch II. SP -
2110263404	Filmivaneri	9	1250	1840	Koivu	F/V	II		47	K ulkona	108.1	0.97	
2399	Filmivaneri	9	1250	2280	Koivu	F/V	I	Vih/Vih	23	K ulk mott	65.55	0.59	Vih/Rus F/V Suomen Armeijan
DV224	Filmivaneri	9	1250	2500	Koivu	F/V	I	Ru/Ru	45	K sis takana	140.6	1.26	Sileä/Viira
8686	Filmivaneri	9	1250	2500	Koivu	F/V	I	Ru/Ru	24	K sis hylly	75	0.67	
8850	Filmivaneri	9	1250	2500	Koivu	V/Puu	II	Ha/Ru	51	K sis auki	159.3	1.43	Hexa plus grey / wg
8846	Filmivaneri	9	1250	2500	Koivu	V/WG	II	Harma	33	K sis	103.1	0.92	Hexa plus grey / wg
8854	Filmivaneri	9	1250	2500	Koivu	F/F	II	Ke/Ru	41	K sis hylly	128.1	1.15	
VD444	Filmivaneri	9	1500	3000	Koivu	F/F	I/II	Ru/Ru	29	K sis auki	130.5	1.17	120/120
10128	Filmivaneri	9	1500	3000	Koivu	F/V	II	Ru/Ru	25	K sis hylly	112.5	1.01	44/pack
VD324	Filmivaneri	9	1500	3000	Koivu	F/F	II	Mu/Mu	44	K sis katu	198	1.78	220/220
VSN4	Filmivaneri	9	1500	3000	Koivu	F/V	II	Ru/Ru	20	K sis auki	90	0.81	w/puu hyllyssä, f ok
8882	Filmivaneri	9	1500	3000	Koivu	F/F	M1/F1	Va/Ru	23	K sis auki	103.5	0.93	
10204	Filmivaneri	9	1900	2700	Koivu	CR/F	II	Ru/Ru	27	K ulk kamux	138.5	1.24	WISA UPM
8897	Filmivaneri	9	1900	3150	Koivu	F/V	II	Ru/Ru	44	K ulk mott	263.3	2.37	Hexa Grip Maxi II
7682	Filmivaneri	9	2000	3000	Koivu	F/F	II	Ru/Ru	29	K ulk mott	174	1.56	Texti II-laatu
VSE74	Filmivaneri	12	1200	2400	Koivu	F/F	I	Va/Ru	33	K sis takana	95.04	1.14	400/120
VSE71	Filmivaneri	12	1200	2400	Koivu	F/F	I	Va/Ru	33	K sis hylly	95.04	1.14	400/120
8379	Filmivaneri	12	1220	2190	Koivu	V/V	II	Ru/Ru	8	K ulk etu	21.37	0.25	Wire/Film Maxi II
KSU16	Filmivaneri	12	1220	2440	Koivu	F/F	I/II	Ru/Ru	9	K sis auki	26.79	0.32	
KSP11	Filmivaneri	12	1220	2440	Koivu	F/V	I	Ru/Ru	33	K sis takana	98.23	1.17	Shop 120/120

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
VSU7	Filmivaneri	12	1220	2440	Koivu	F/V	II	Ru/Ru	33	K ulkona	98.23	1.17	120/120
KSU12	Filmivaneri	12	1220	2440	Koivu	F/V	II	Ru/Ru	33	K ulk mott	98.23	1.17	
KSS17	Filmivaneri	12	1220	2440	Koivu	F/V	II	Ru/Ru	6	K ulk etu	17.86	0.21	120/120
DV197	Filmivaneri	12	1220	2440	Koivu	F/V	II	Ru/Ru	34	K sis takana	101.2	1.21	F3/W3 Sileä/Viira hekso huono
6457	Filmivaneri	12	1220	2440	Koivu	F/F	I	Ru/Ru	11	K sis auki	32.74	0.39	Deck 350
8924	Filmivaneri	12	1250	2500	Koivu	F/V	I	Ru/Ru	33	K sis takana	103.1	1.23	2500x1250
8928	Filmivaneri	12	1250	2500	Koivu	F/V	I	Ru/Ru	16	K sis hylly	50	0.6	2500x1250
KSU6	Filmivaneri	12	1250	2500	Koivu	F/V	II	Ru/Ru	7	K ulk etu	21.87	0.26	
2529	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	15	K sis	46.87	0.56	220/220 g
7703	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	50	K sis	156.2	1.87	220/220 g
7743	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	50	K sis	156.2	1.87	220/220 g
7747	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	50	K sis	156.2	1.87	220/220 g
7723	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	50	K sis	156.2	1.87	220/220 g
2080198121	Filmivaneri	12	1250	2500	Havu	F/F	I	Ru/Ru	75	K sis takana	234.3	2.81	Wisa Form Spruce 1
2080198099	Filmivaneri	12	1250	2500	Havu	F/F	I	Ru/Ru	75	K sis takana	234.3	2.81	wisa form spruce
2080198108	Filmivaneri	12	1250	2500	Havu	F/F	I	Ru/Ru	75	K sis takana	234.3	2.81	Wisa Form Spruce 1
6057	Filmivaneri	12	1250	2500	Koivu	F/F	I	Ru/Ru	12	K sis auki	37.5	0.45	
2080228886	Filmivaneri	12	1250	2500	Havu	F/F	II	V.	80	K sis takana	250	3	Form Spruce II Light brown
2080220423	Filmivaneri	12	1250	2500	Havu	F/F	II	V.	71	K sis auki	221.8	2.66	Form Spruce II Light brown
10094	Filmivaneri	12	1250	3050	Koivu	F/F	II	Lack	14	K sis auki	53.37	0.64	LAKKA!!! WISA UPM VA/RU
KD66	Filmivaneri	12	1500	3000	Koivu	F/F	I	Ru/Ru	5	K sis hylly	22.5	0.27	
VSE44	Filmivaneri	12	1500	3000	Koivu	F/F	I	Va/Ru	33	K sis katu	148.5	1.78	400/120
KD49	Filmivaneri	12	1500	3000	Koivu	F/F	I	Vih/Vih	6	K sis katu	27	0.32	
KSU21	Filmivaneri	12	1500	3000	Koivu	F/V	II	Ru/Ru	20	K sis hylly	90	1.08	
VD278	Filmivaneri	12	1500	3000	Koivu	F/F	II	Ru/Ru	28	K sis auki	126	1.51	

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
8742	Filmivaneri	12	1500	3000	Koivu	F/F	M1/F1	Va/Ru	45	K sis auki	202.5	2.43	
KS31	Filmivaneri	12	1525	2440	Koivu	F/V	II	Ru/Ru	33	K ulk kamux	122.7	1.47	DB 120/120
KS29	Filmivaneri	12	1525	2440	Koivu	F/V	II	Ru/Ru	33	K ulk kamux	122.7	1.47	DB 120/120
7077	Filmivaneri	12	1525	2440	Koivu	F/V	II	Ru/Ru	9	K ulk etu	33.48	0.40	DB 120/120
8894	Filmivaneri	12	1525	2500	Koivu	CR/F	II	Ha/Ru	21	K sis auki	80.06	0.96	Hexa
8181	Filmivaneri	12	2020	4100	Koivu	F/V	II	Ru/Ru	4	K ulk mott	33.12	0.39	
6761	Filmivaneri	12	2020	4100	Koivu	F/V	II	Ru/Ru	4	K ulkona	33.12	0.39	
8507	Filmivaneri	12	2150	3050	Koivu	CR/F	II	Ha/Ru	10	K sis	65.57	0.78	Hexa plus
8475	Filmivaneri	12	2150	3050	Koivu	F/F	II	Ru/Ru	10	K ulk mott	65.57	0.78	Aleci texti
10042	Filmivaneri	13.5	1500	2686	Koivu	F/F	II	Ru/Ru	17	K sis takana	68.49	0.92	
2080230208	Filmivaneri	15	750	1500	Havu	F/F	II	V.	58	K ulk mott	65.25	0.97	Form Spruce II Light brown
JSA20	Filmivaneri	15	1200	2400	Koivu	F/F	I	Va/Ru	25	K sis hylly	72	1.08	
2080230051	Filmivaneri	15	1200	3000	Havu	SP/SP	II	Ru/Ru	17	K sis takana	61.2	0.91	Paint ply spruce II
10161	Filmivaneri	15	1200	3000	Havu	F/SP	II	Ru/SP	10	Kla TT	36	0.54	Paintply/Film II
VST6	Filmivaneri	15	1220	2440	Koivu	F/F	I/II	Ru/Ru	26	K sis takana	77.39	1.16	deck350
VS169	Filmivaneri	15	1220	2440	Koivu	F/F	I/II	Ru/Ru	14	K sis auki	41.67	0.62	8X4, FULL, F/F, DB 120/120
VSK102	Filmivaneri	15	1220	2440	Koivu	F/V	II	Ru/Ru	26	K sis takana	77.39	1.16	120/120
VSP214	Filmivaneri	15	1220	2440	Koivu	F/F	II	Ru/Ru	26	K ulk kamux	77.39	1.16	120/120
VSP212	Filmivaneri	15	1220	2440	Koivu	F/F	II	Ru/Ru	26	K sis katu	77.39	1.16	120/120
VSP213	Filmivaneri	15	1220	2440	Koivu	F/F	II	Ru/Ru	13	K sis auki	38.69	0.58	120/120
DV30	Filmivaneri	15	1220	2440	Koivu	F/V	II	Ru/Ru	27	K sis takana	80.37	1.20	F3/Wh3 Sileä/Hexa huono
1976	Filmivaneri	15	1220	2440	Koivu	F/F	I	Ru/Ru	40	K	119.0	1.78	Deck350
1964	Filmivaneri	15	1220	2440	Koivu	F/F	I	Ru/Ru	40	K sis takana	119.0	1.78	Deck350
2110129518	Filmivaneri	15	1220	2440	Koivu	F/PUU	II	Ru/Puu	14	K sis takana	41.67	0.62	
2941	Filmivaneri	15	1220	2440	Koivu	F/F	II	Ru/Ru	60	K ulk mott	178.6	2.67	UPM Texti

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
3030	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	Kla TT	81.25	1.21	
VSU28	Filmivaneri	15	1250	2500	Koivu	F/V	II	Ru/Ru	40	K sis takana	125	1.87	120/120
VST110	Filmivaneri	15	1250	2500	Koivu	F/V	II	Ru/Ru	18	K ulk etu	56.25	0.84	120/120
3029	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	Kla TT	81.25	1.21	deck 350
2725	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	K sis katu	81.25	1.21	deck 350
3023	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	Kla TT	81.25	1.21	
3027	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	K sis takana	81.25	1.21	
2849	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	K sis katu	81.25	1.21	deck 350
3028	Filmivaneri	15	1250	2500	Koivu	F/F	I	Ru/Ru	26	Kla TT	81.25	1.21	
KD45	Filmivaneri	15	1325	3050	Koivu	F/V	II	Ru/Ru	15	K sis katu	60.61	0.90	
2569	Filmivaneri	15	1492	3038	Koivu	F/V	II	Ru/Ru	6	K ulkona	27.19	0.40	Trans II jyrstetty + 1 päällä
2899	Filmivaneri	15	1500	2395	Havu	F/SP	II	Ru/SP	12	K sis katu	43.11	0.64	
VSE48	Filmivaneri	15	1500	3000	Koivu	F/F	I	Va/Ru	26	K sis katu	117	1.75	400/120
KD118	Filmivaneri	15	1500	3000	Koivu	F/F	I/II	Ru/Ru	26	K ulk kamux	117	1.75	120/120
VS187	Filmivaneri	15	1500	3000	Koivu	F/F	I/II	Ru/Ru	26	K sis	117	1.75	120/120
KD120	Filmivaneri	15	1500	3000	Koivu	F/F	I/II	Ru/Ru	26	K ulk kamux	117	1.75	120/120
KD119	Filmivaneri	15	1500	3000	Koivu	F/F	I/II	Ru/Ru	26	K ulk kamux	117	1.75	120/120
VD49	Filmivaneri	15	1500	3000	Koivu	F/V	II	Ru/Ru	26	K sis katu	117	1.75	
VD52	Filmivaneri	15	1500	3000	Koivu	F/V	II	Ru/Ru	12	K sis auki	54	0.81	
8614	Filmivaneri	15	1500	3000	Koivu	F/F	I	Ru/Ru	26	K	117	1.75	
8027	Filmivaneri	15	1500	3000	Koivu	F/V	I	Ru/Ru	12	K sis hylly	54	0.81	Ruskea säänkestävä,
2110128014	Filmivaneri	15	1500	3000	Koivu	Paintply	II	Ru/Puu	9	Kla TT	40.5	0.60	Paintply Birch II sp/puu
10202	Filmivaneri	15	1525	2400	Koivu	F/PUU	II	Ru/Puu	13	K sis auki	47.58	0.71	F/WG
7424	Filmivaneri	15	1525	3050	Koivu	F/F	I	Va/Va	30	K sis hylly	139.5	2.09	
10180	Filmivaneri	15	1525	3050	Koivu	F/PUU	II	Ru/Puu	27	K sis takana	125.5	1.88	BB?/FI

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
2080053807	Filmivaneri	15	1525	3050	Havu	SP/SP	II	SP/SP	24	Kla TT	111.6	1.67	Paintply II
5038	Filmivaneri	15	1530	3100	Havu	SP/SP	II	SP/SP	22	Kla TT	104.3	1.56	120/120
8217	Filmivaneri	15	2000	4000	Koivu	F/V	II	Ru/Ru	7	K ulk kamux	56	0.84	
8463	Filmivaneri	15	2102	4367	Koivu	F/V	II	Ru/Ru	6	K ulk mott	55.07	0.82	
6612	Filmivaneri	16	1220	2380	Koivu	F/F	II	Ru/Ru	36	K ulk mott	104.5	1.67	Form Maxi II logo texti
KD121	Filmivaneri	18	500	3000	Koivu	F/F	I/II	Ru/Ru	66	K ulk kamux	99	1.78	120/120
KD123	Filmivaneri	18	500	3000	Koivu	F/F	II	Ru/Ru	22	K ulk kamux	33	0.59	120/120
8227	Filmivaneri	18	1176	2976	Koivu	F/F	II	Ru/Ru	4	K ulk mott	13.99	0.25	Form Birch II
6993	Filmivaneri	18	1180	3275	Koivu	F/F	II	Ru/Ru	6	K ulk etu	23.18	0.41	
7858	Filmivaneri	18	1190	2676	Koivu	F/F	II	Ru/Ru	44	K ulk mott	140.1	2.52	Form MBT II Peri Prod
7544	Filmivaneri	18	1200	2400	Koivu	SP/SP	I	SP/SP	28	K sis takana	80.64	1.45	P I/P I
6422	Filmivaneri	18	1200	2400	Havu	F/MDO	II	Ru/SP	5	K sis hylly	14.4	0.25	pontattu
10193	Filmivaneri	18	1200	2700	Koivu	F/F	II	Ru/Ru	7	K ulk etu	22.68	0.40	peri
8283	Filmivaneri	18	1220	2100	Koivu	F/V	II	Ru/Ru	11	K ulk mott	28.18	0.50	Wire/Film Maxi II
KSS8	Filmivaneri	18	1220	2440	Koivu	F/F	I/II	Ru/Ru	12	K sis auki	35.72	0.64	Deck350
VSP341	Filmivaneri	18	1220	2440	Koivu	F/F	II	Ru/Ru	22	K ulk kamux	65.49	1.17	120/120
VSP343	Filmivaneri	18	1220	2440	Koivu	F/F	II	Ru/Ru	22	K ulk kamux	65.49	1.17	120/120
VSP375	Filmivaneri	18	1220	2440	Koivu	F/F	II	Ru/Ru	15	K sis auki	44.65	0.80	120/120
6925	Filmivaneri	18	1220	2440	Koivu	F/V	II	Ru/Ru	4	K sis auki	11.90	0.21	
7420	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	19	K ulk mott	56.55	1.01	Trans Heavy paksu kulutus pinta
3061	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	22	Kla TT	65.49	1.17	1-laatu koivu viira
3063	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	22	Kla TT	65.49	1.17	1-laatu koivu viira
3058	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	22	Kla TT	65.49	1.17	1-laatu koivu viira
3062	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	22	K sis takana	65.49	1.17	1-laatu koivu viira
3060	Filmivaneri	18	1220	2440	Koivu	F/V	I	Ru/Ru	20	K sis auki	59.53	1.07	1-laatu koivu viira

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
2355	Filmivaneri	18	1250	2440	Twin	F/F	II	Ha/Ha	7	K ulk etu	21.35	0.38	6x18mm 3x21mm
VS21	Filmivaneri	18	1250	2500	Koivu	F/V	I	Ru/Ru	22	K sis takana	68.75	1.23	120/120
8622	Filmivaneri	18	1250	2500	Koivu	F/V	I	Ru/Ru	17	K sis auki	53.12	0.95	120/120
KSS4	Filmivaneri	18	1250	2500	Koivu	F/F	II	Ru/Ru	22	K	68.75	1.23	120/120
10210	Filmivaneri	18	1250	2500	Koivu	F/V	II	Va/Ru	9	K sis hylly	28.12	0.50	Carat wire
10192	Filmivaneri	18	1437	2660	Koivu	V/WG	II	Ru/Puu	9	K sis katu	34.40	0.61	
10207	Filmivaneri	18	1500	2500	Havu	SP/SP	II	SP/SP	26	Kla TT	97.5	1.75	Paintply Spruce
2839	Filmivaneri	18	1500	2500	Havu	SP/SP	II	SP/SP	48	K sis takana	180	3.24	Paintply SP maalaus klavo
VD459	Filmivaneri	18	1500	3000	Koivu	F/F	I/II	Ru/Ru	22	K sis katu	99	1.78	120/120
1777	Filmivaneri	18	1500	3000	Koivu	F/V	I	Ru/Ru	22	K sis katu	99	1.78	Ruskea säänkestävä
7025	Filmivaneri	18	1500	3000	Koivu	F/V	I	Ru/Ru	7	K sis hylly	31.5	0.56	Ruskea säänkestävä
VD467-2	Filmivaneri	18	1500	3000	Koivu	F/F	II	Ru/Ru	22	K sis katu	99	1.78	120/120
VD484	Filmivaneri	18	1500	3000	Koivu	F/V	II	Ru/Ru	22	K sis katu	99	1.78	120/120
VD356	Filmivaneri	18	1500	3000	Koivu	F/V	II	Ru/Ru	13	K sis auki	58.5	1.05	120/120
2599	Filmivaneri	18	1525	3050	Havu	SP/SP	II	SP/SP	30	Kla TT	139.5	2.51	Paintply Spruce
PF18B	Filmivaneri	18	1525	3600	Koivu	F/F	II	Ru/Ru	8	K ulk etu	43.92	0.79	
8419	Filmivaneri	18	1967	5122	Koivu	F/V	II	Ru/Ru	5	K ulk mott	50.37	0.90	
6545	Filmivaneri	21	1220	2440	Koivu	F/F	I	Ru/Ru	6	K sis auki	17.86	0.37	120/120
VSP197	Filmivaneri	21	1220	2440	Koivu	F/F	II	Ru/Ru	10	K sis auki	29.76	0.62	120/120
VSP198	Filmivaneri	21	1220	2440	Koivu	F/F	II	Ru/Ru	13	K sis auki	38.69	0.81	120/120
VSP300	Filmivaneri	21	1250	2500	Koivu	F/V	II	Ru/Ru	19	K sis takana	59.37	1.24	120/120
7005	Filmivaneri	21	1250	2500	Havu	F/F	II	Ru/Ru	6	K ulk etu	18.75	0.39	Form Spruce II Dark brown
2100351195	Filmivaneri	21	1250	2500	Havu	F/F	II	Ru/Ru	19	K ulk etu	59.37	1.24	Form Slab II WF Slab logo
2100348620	Filmivaneri	21	1250	2500	Havu	SP/SP	II	Ru/Ru	38	K sis auki	118.7	2.49	Paintply Spruce
v282	Filmivaneri	21	1500	2500	Koivu	F/V	II	Ru/Ru	7	K sis takana	26.25	0.55	120/120

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
VSN23	Filmivaneri	21	1500	3000	Koivu	F/F	II	Ru/Ru	29	K sis katu	130.5	2.74	120/120
VD473	Filmivaneri	21	1500	3000	Koivu	F/V	II	Ru/Ru	19	K sis takana	85.5	1.79	120/120
VD472	Filmivaneri	21	1500	3000	Koivu	F/V	II	Ru/Ru	5	K sis auki	22.5	0.47	V ok
KSU19	Filmivaneri	24	1220	2440	Koivu	F/V	II	Ru/Ru	16	Kla TT	47.62	1.14	
VD104	Filmivaneri	24	1220	2440	Koivu	F/F	II	Ru/Ru	15	K	44.65	1.07	
6493	Filmivaneri	24	1220	2440	Koivu	F/F	II	Ru/Ru	14	K sis auki	41.67	1	120/120
DV11	Filmivaneri	24	1220	2440	Koivu	F/V	II	Ru/Ru	17	K sis takana	50.60	1.21	Sileä/Hexa Viira F3/Wh3 Huonot
DV1	Filmivaneri	24	1220	2440	Koivu	F/V	II	Ru/Ru	17	K sis takana	50.60	1.21	Sileä/Hexa Viira F3/Wh3 Huonot
2100328118	Filmivaneri	24	1250	2500	Havu	SP/SP	II	SP/SP	14	K sis katu	43.75	1.05	Paintply Spruce
VD321	Filmivaneri	24	1500	3000	Koivu	F/V	II	Ru/Ru	15	K sis katu	67.5	1.62	
2080215755	Filmivaneri	24	1525	3050	Havu	F/SP	II	Ru/Ru	4	K sis takana	18.60	0.44	Paint ply/ film II
5085	Filmivaneri	24	1525	3050	Havu	SP/SP	II	SP/SP	4	Kla TT	18.60	0.44	WISA UPM
6430	Filmivaneri	27	265	3000	Koivu	F/V	II	Ru/Ru	23	K sis takana	18.28	0.49	2400-3000
VS93 7708	Filmivaneri	27	1220	2440	Koivu	F/V	II	Ru/Ru	16	K sis	47.62	1.28	8X4, FULL, F/W, DB 120/120
VS92	Filmivaneri	27	1220	2440	Koivu	F/V	II	Ru/Ru	5	K ulk etu	14.88	0.40	8X4, FULL, F/W, DB 120/120
2100328074	Filmivaneri	27	1250	2500	Havu	F/F	II	SP/SP	17	Kla TT	53.12	1.43	WISA UPM
10165	Filmivaneri	27	1500	3050	Havu	SP/SP	II	SP/SP	5	Kla TT	22.87	0.61	Paintply Spruce
VSS39	Filmivaneri	30	1220	2440	Koivu	F/V	II	Ru/Ru	12	K sis takana	35.72	1.07	120/120
8321	Filmivaneri	30	1500	3000	Koivu	F/F	I/II	Ru/Ru	4	K ulk etu	18	0.54	4X8, FULL, F/W, DB 120/120
VD117	Filmivaneri	30	1500	3000	Koivu	F/F	I/II	Vih/Vih	5	K sis auki	22.5	0.67	
KD112	Filmivaneri	30	1500	3000	Koivu	F/V	II	Ru/Ru	13	K ulk kamux	58.5	1.75	
KD114	Filmivaneri	30	1500	3000	Koivu	F/V	II	Ru/Ru	13	K ulk kamux	58.5	1.75	
KU17	Filmivaneri	30	1500	3000	Koivu	F/V	II	Ru/Ru	14	K	63	1.89	Shop Ext
2487	Filmivaneri	31	1197	2365	Koivu	F/PUU	II	Ru/Puu	13	K sis katu	36.80	1.14	Form birch 2 Filmi/Puu
2016b	Filmivaneri	31	1197	2365	Koivu	F/PUU	II	Ru/Puu	10	K sis	28.30	0.87	Filmi/ BB

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
8311	Filmivaneri	31	1200	2162	Koivu	F/F	II	Ru/Ru	8	K ulk mott	20.75	0.64	Form Birch II
2567	Filmivaneri	31	1200	2162	Koivu	F/PUU	II	Ru/Ru	9	K sis	23.35	0.72	Form Birch II
1949	Filmivaneri	31	1500	2362	Koivu	F/V	II	Ru/Ru	8	K ulk mott	28.34	0.87	
8825	Filmivaneri	31	2000	2498	Koivu	F/V	II	Ru/Ru	6	K ulk mott	29.97	0.92	Wire/Film 7 Feet II Texti sileä
8651	Filmivaneri	35	1525	2500	Koivu	F/V	II	Ru/Ru	8	K ulk mott	30.5	1.06	
Film36L	Filmivaneri	36	950	1974	Koivu	F/V	II		25	K ulk kamux	46.88	1.68	kulma viist
8655	Filmivaneri	40	1500	2500	Koivu	F/V	II	Ru/Ru	9	K ulk mott	33.75	1.35	
2110214570	Filmivaneri	45	1400	1100	Koivu	F/F	II	Ha/Ha	22	K ulk mott	33.88	1.52	Form Stone II
10024	Filmivaneri	50	1410	1410	Koivu	F/F	II	Ru/Ru	12	K ulk kamux	23.85	1.19	Elephant
5131	Kovalevy	2.700	1220	2745			I	Ruskea	123	K sis hylly	411.9	1.11	
7740	Kovalevy	3	1220	2745			I	Va/Ru	150	K sis katu	502.3	1.50	
7732	Kovalevy	3	1220	2745			I	Va/Ru	150	K sis katu	502.3	1.50	
7744	Kovalevy	3	1220	2745			I	Va/Ru	150	K sis katu	502.3	1.50	
6980	Kovalevy	3	1220	2745			I	Valk	121	K sis hylly	405.2	1.21	150/pak
3019	Kovalevy	3	2070	2850			I	Ruskea	13	K sis hylly	76.69	0.23	kirsikka
5130	Liimapuulev	18	600	3000	Mänty		I	Mänty	47	K sis hylly	84.6	1.52	
5129	Liimapuulev	28	600	3000	Mänty		I	Mänty	53	K sis	95.4	2.67	
5128	Liimapuulev	40	600	3000	Mänty		I	Mänty	16	K sis hylly	28.8	1.15	
MDF HDF 3mm	MDF	3	2070	2800			I		5	K sis	28.98	0.08	
5132	MDF	8	2070	2800			I		20	K sis hylly	115.9	0.92	
1852	MDF	12	2800	2070			I		40	K sis hylly	231.8	2.78	
MDD16	MDF	16	2800	2070			I	Ru/Ru	25	K sis hylly	144.9	2.31	
6445	MDF	19	2800	2070			I		25	K sis hylly	144.9	2.75	
5125	MDF	19	2800	2070			I		16	K sis hylly	92.73	1.76	
7394	Vaneri	4	1220	2440	Koivu		C/C		100	K sis takana	297.6	1.19	Huom 2440x1220

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
6429	Vaneri	4	1250	2500	Koivu		BB/C		56	K sis hyllly	175	0.7	
6461	Vaneri	4	1500	3000	Koivu		BB/C		70	K sis auki	315	1.26	II/IV
6734	Vaneri	5	1146	2940	Havu		Kilo		121	K sis	407.6	2.03	
6729	Vaneri	5	1146	2940	Havu		Kilo		32	K sis auki	107.8	0.53	
L202	Vaneri	5	1530	2500	Teak		I		42	K sis hyllly	160.6	0.80	TEAK FIL A/B QUARTERCU
6933	Vaneri	6	1220	2440	Koivu		C/C		16	K sis hyllly	47.62	0.28	
6505	Vaneri	6	1525	1525	Koivu		CP/CP		19	K sis auki	44.18	0.26	
5062	Vaneri	6.5	1200	2440	Havu		II/III		20	K sis hyllly	58.56	0.38	Chile 2/3 v.pituus syy
6609	Vaneri	6.5	1220	2440	Koivu		BB/CP		44	K sis hyllly	130.9	0.85	vähän tumma reunassa
6941	Vaneri	6.5	1220	2440	Poppel		II		170	K sis takana	506.0	3.28	
6485	Vaneri	6.5	1220	2440	Poppel		Kilo		114	K sis auki	339.3	2.20	Koivu Pinta poppeli runko
6253	Vaneri	6.5	1250	2250	Koivu		PQ2		5	K sis hyllly	14.06	0.09	
6049	Vaneri	6.5	1500	3000	Koivu		BB/WG		23	K sis hyllly	103.5	0.67	
6104 6,5	Vaneri	6.5	1525	3050	Koivu		C/C		67	K sis auki	311.6	2.02	
65-bb-cp-	Vaneri	6.5	2440	1220	Koivu		BB/CP		60	K sis	178.6	1.16	60kpl
7156	Vaneri	8	1220	2440	Poppel		II		66	K sis katu	196.4	1.57	koivu pinta / poppeli runko
6785	Vaneri	9	520	1525	Koivu		C/C		420	Kla TT	333.0	2.99	
6789	Vaneri	9	520	1525	Koivu		C/C		366	K sis takana	290.2	2.61	
6597	Vaneri	9	1200	2400	Havu		II/III		18	K sis auki	51.84	0.46	II/III
6521	Vaneri	9	1200	2500	Havu		Kilo		92	K sis takana	276	2.48	
7473	Vaneri	9	1220	2440	Koivu		C/C		44	K sis takana	130.9	1.17	
2583	Vaneri	9	1220	2440	Koivu		PQ		9	K sis katu	26.79	0.24	
7197	Vaneri	9	1220	2440	Koivu		WG/WG		60	K sis hyllly	178.6	1.60	
3530264227	Vaneri	9	1250	2380	Koivu		PQ2		100	K sis	297.5	2.67	
2110164794	Vaneri	9	1250	2420	Koivu		BB/WG		84	K sis auki	254.1	2.28	

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
VSK37	Vaneri	9	1250	2500	Koivu		B/BB		44	K sis takana	137.5	1.23	
7400	Vaneri	9	1250	2500	Koivu		BB/CP		44	K sis takana	137.5	1.23	BB maalattava, pinnoitettava
7352	Vaneri	9	1250	2500	Koivu		BB/CP		19	K sis hylly	59.37	0.53	BB maalattava, pinnoitettava
2080283243	Vaneri	9	1250	2500	Havu		Kilo		51	K sis	159.3	1.43	
6725	Vaneri	9	1250	2500	Havu		Kilo		100	K sis	312.5	2.81	
6442	Vaneri	9	1525	1525	Koivu		C/C		96	K sis katu	223.2	2.00	48kpl / pkt / 2 pkt
7624	Vaneri	9	1525	3050	Koivu		WG/WG		65	K sis katu	302.3	2.72	
HA12145	Vaneri	12	898	2500	Havu		C+/C		75	K sis takana	168.3	2.02	
6474	Vaneri	12	1200	2500	Havu		Kilo		31	K sis auki	93	1.11	
8390	Vaneri	12	1220	2440	Koivu		C/C		33	K sis takana	98.23	1.17	CC/CC
8398	Vaneri	12	1220	2440	Koivu		C/C		15	K sis auki	44.65	0.53	
7799	Vaneri	12	1250	2500	Koivu		BB/BB		13	K sis auki	40.62	0.48	
VSK46	Vaneri	12	1250	2500	Koivu		BB/CP		33	K sis takana	103.1	1.23	
5046	Vaneri	12	1250	2550	Koivu		PQ2		15	K sis hylly	47.81	0.57	ontto
Visu7-2	Vaneri	12	1500	3000	Koivu		BB/BB		13	K sis katu	58.5	0.70	
3016	Vaneri	12	1500	3000	Koivu		CP/CP		33	K sis katu	148.5	1.78	
12FP	Vaneri	12	1500	3070	Koivu		Kilo		29	K sis auki	133.5	1.60	
AX83	Vaneri	12	1530	2500	Teak		I		12	Kla TT	45.9	0.55	teak hyvä
5150	Vaneri	12	1560	3100	Kombi		Kilo		4	Kla TT	19.34	0.23	Hiomaton
T12-10	Vaneri	12	2485	1485	Teak		I		17	K sis hylly	62.73	0.75	hyvä
5029	Vaneri	15	610	2440	Havu		Kilo		23	K sis hylly	34.23	0.51	TG2
HA1570	Vaneri	15	898	2500	Havu		C+/C		26	K sis takana	58.37	0.87	Brasilian havuvaneri
6517	Vaneri	15	1200	2400	Havu		Kilo		22	K sis auki	63.36	0.95	
VSK41	Vaneri	15	1250	2500	Koivu		B/BB		4	K sis hylly	12.5	0.18	
JSA58	Vaneri	15	1250	2500	Koivu		BB/CP		26	K sis takana	81.25	1.21	

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
JSA67	Vaneri	15	1250	2500	Koivu		BB/CP		16	K sis auki	50	0.75	
3530410085	Vaneri	15	1250	2500	Koivu		Kilo		24	K sis auki	75	1.12	
6441	Vaneri	15	1270	2540	Kombi		Kilo		60	K sis takana	193.5	2.90	
2439	Vaneri	15	1270	2540	Kombi		Kilo		25	K sis auki	80.64	1.21	
Visu4	Vaneri	15	1500	3000	Koivu		Kilo		26	K sis auki	117	1.75	
2110225319	Vaneri	15.5	1530	3410	Koivu		Kilo		11	K sis takana	57.39	0.89	Birch Kilo
2110230276	Vaneri	15.5	1550	3450	Koivu		Kilo		6	K sis auki	32.08	0.49	Birch Kilo
5052	Vaneri	16	1250	2500	Teak		I		6	K sis hyilly	18.75	0.3	Raita Teak (valk raita) Koivu
6885	Vaneri	16	1550	2760	Koivu		Kilo		5	K sis auki	21.39	0.34	
5145	Vaneri	16.5	1250	3050	Koivu		BB/WG		5	K sis hyilly	19.06	0.31	
6513	Vaneri	18	1200	2400	Havu		Kilo		29	K sis auki	83.52	1.50	
6533	Vaneri	18	1220	2440	Havu		Kilo		15	K sis hyilly	44.65	0.80	
6620	Vaneri	18	1220	2440	Havu		Kilo		5	K sis auki	14.88	0.26	
7839	Vaneri	18	1250	2500	Koivu		BB/BB		14	K sis auki	43.75	0.78	
5074	Vaneri	18	1270	2540	Kombi		Kilo		6	K sis hyilly	19.35	0.34	
2419	Vaneri	18	1270	3080	Koivu		Kilo		38	K sis auki	148.6	2.67	
8811	Vaneri	18	1500	2700	Koivu		Kilo		7	K sis auki	28.35	0.51	
6649	Vaneri	18	1500	3000	Koivu		Kilo		35	K sis takana	157.5	2.83	BB/sanded
6653	Vaneri	18	1500	3000	Koivu		Kilo		15	K sis auki	67.5	1.21	
5089	Vaneri	18	1525	1840	Koivu		BB/WG		9	K sis hyilly	25.25	0.45	eri sävyjä
6741	Vaneri	18	1525	3050	Koivu		Kilo		5	K ulk mott	23.25	0.41	
VPP18Y	Vaneri	18	1525	3660	Koivu		BB/WG		5	K sis	27.90	0.50	
HA21190	Vaneri	21	1198	2500	Havu		C+/C		43	K sis	128.7	2.70	Brasilian havuvaneri
HA21189	Vaneri	21	1198	2500	Havu		C+/C		12	K sis auki	35.94	0.75	Brasilian havuvaneri
6857	Vaneri	21	1200	2500	Havu		Kilo		20	K sis takana	60	1.26	

Numero	Tuote	mm	L	P	Puu	Pinta	Laatu	Vari	Kpl	Paikka	m2	m3	Info
6864	Vaneri	21	1200	2500	Havu		Kilo		10	K sis hylly	30	0.63	
6857-1	Vaneri	21	1250	2470	Koivu		PQ2		16	K sis auki	49.4	1.03	
VSK52	Vaneri	21	1250	2500	Koivu		BB/CP		19	K sis	59.37	1.24	
6405	Vaneri	21	1250	2500	Koivu		BB/CP		19	Kla TT	59.37	1.24	
VSK53	Vaneri	21	1250	2500	Koivu		BB/CP		19	K sis takana	59.37	1.24	
VSK55	Vaneri	21	1250	2500	Koivu		BB/CP		11	K sis auki	34.37	0.72	
6537	Vaneri	21	1250	2500	Koivu		WG/WG		45	K sis takana	140.6	2.95	
8595	Vaneri	21	1250	2500	Koivu		WG/WG		47	K sis takana	146.8	3.08	
8591	Vaneri	21	1250	2500	Koivu		WG/WG		19	K sis auki	59.37	1.24	
6532	Vaneri	26	1560	3100	Koivu		BB/WG		19	K sis	91.88	2.38	
Visu47	Vaneri	30	1500	3000	Koivu		C/C		14	K sis takana	63	1.89	
2040116851	Vaneri	38	1250	1500	Koivu		BB/WG		19	K sis auki	35.62	1.35	EXTRA
2658 45	Vaneri	45	1460	3080	Koivu		Kilo		10	Kla TT	44.96	2.02	Siisti paketti muovi ympäri.
							Yht		9,802		31,124.0	373.2	